


# AGT GERMAN TECHNICS

*Industrial Components and Equipment*

## HEB Beams

### Hot Rolled - H/I Beams DIN 1025

DIN 1025, Teil 2, 3,94



Norminal Size mm	<i>h</i>	<i>b</i>	<i>s</i>	<i>t</i>	<i>r<sub>1</sub></i>	Cross Sectional area cm <sup>2</sup>	Theoretical Wt. kg/m
100	100	100	6	10	12	26.0	20.9
120	120	120	6.5	11	12	34.0	27.4
140	140	140	7	12	12	43.0	34.5
160	160	160	8	13	15	54.3	43.7
180	180	180	8.5	14	15	65.3	52.5
200	200	200	9	15	18	78.1	63.0
220	220	220	9.5	16	18	91.0	73.0
240	240	240	10	17	21	106.0	85.0
260	260	260	10	17.5	24	118.0	95.0
280	280	280	10.5	18	24	131.0	109.0
300	300	300	11	19	27	149.0	120.0
320	320	300	11.5	20.5	27	161.0	130.0
340	340	300	12	21.5	27	171.0	137.0
360	360	300	12.5	22.5	27	181.0	146.0
400	400	300	13.5	24	27	198.0	159.0
450	450	300	14	26	27	218.0	175.0
500	500	300	14.5	28	27	239.0	192.0
550	550	300	15	29	27	254.0	204.0
600	600	300	15.5	30	27	270.0	217.0
650	650	300	16	31	27	286.0	231.0
700	700	300	17	32	27	306.0	247.0
800	800	300	17.5	33	30	334.0	269.0
900	900	300	18.5	35	30	371.0	298.0
1000	1000	300	19	36	30	400.0	322.0

HollowBars,HEB